

Supplier-neutral factual information on material, weights and article scope. This document is intended to support the customer's EPR / packaging quantity reporting.

| Field           | Information                                                     |
|-----------------|-----------------------------------------------------------------|
| Issuer          | Faisst GmbH                                                     |
| Document type   | EPR Packaging Information Sheet                                 |
| Product family  | X-Press Boxes ClassicLine and OceanLine incl. foam inserts      |
| Version / date  | 1.6 / 27.07.2026                                                |
| Document status | Released; customer information; not a Declaration of Conformity |

## 1. Scope

| Field        | Information                                                                                                                                                                                                                                                                                                  |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Included     | X-Press Boxes ClassicLine and OceanLine listed in Annex 1, plus loose foam inserts for X-Press Boxes. Optional customer-specific printing on these boxes is included subject to Section 3. The factory transport/outer packaging used to deliver the X-Press Boxes is qualitatively covered under Section 2. |
| Not included | Labels, accessories and any shipping, transport or outer packaging other than the documented factory packaging described in Section 2.                                                                                                                                                                       |
| Intended use | Presentation, protective and product packaging, including optional inserts for holding, cushioning and presenting products.                                                                                                                                                                                  |

## 2. EPR-relevant packaging data

| Field                   | Information                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material fraction       | Plastic / foam; printed variants additionally include a thin print layer                                                                                                                                                                                                                                                                                                                 |
| ClassicLine             | Boxes made of coloured polypropylene (PP); injection moulding; no recycled content documented.                                                                                                                                                                                                                                                                                           |
| OceanLine               | Boxes made of recycled polypropylene (PP) from ocean-bound plastic; injection moulding; 100% recycled content according to product/supplier information; colour Tide petrol.                                                                                                                                                                                                             |
| Foam inserts            | PUR and PE/polyolefin foams; cut and converted foam inserts; white standard version and black antistatic versions.                                                                                                                                                                                                                                                                       |
| Colour variants         | Article-specific, including black, white, metallic variants and Tide petrol.                                                                                                                                                                                                                                                                                                             |
| Material reporting      | To be considered as plastic or foam for quantity reporting. For printed variants, the actual finished weight including the print layer must be used; the national EPR category must be checked by the reporting company. Factory carton and tape quantities are shipment-specific, are not included in the box unit weights and must be reported using the quantities actually received. |
| Factory outer packaging | Uncoated corrugated carton (>98% paper fibres; typically 80-100% recycled fibre; starch-based adhesive) and brown PP sealing tape with hot-melt adhesive. The carton is designed for the paper/corrugated-board recycling stream; the tape is stated by the supplier to be recyclable.                                                                                                   |

### 3. Optional customer-specific printing

| Field           | Information                                                                                                                                                                                                                                                                                                  |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Process         | Customer-specific printing on Faisst wave boxes is carried out exclusively by digital printing.                                                                                                                                                                                                              |
| Print build-up  | Adhesion-promoting base coat (primer) and UV-curable digital printing inks; artwork, ink coverage and layer quantity depend on the order.                                                                                                                                                                    |
| Weight basis    | Where no exact finished weight from a specification or weighing is available, a documented worst-case allowance of 60 g/m <sup>2</sup> of lid area is used for primer and digital ink. Full-area printing of the rectangular lid and a safety margin are assumed; the result is rounded up to 0.1 g per box. |
| Evidence status | Current manufacturer information on REACH/SVHC, heavy metals and PFAS is available for the primer and digital inks. The assessment of the printing materials used and the conservatively limited print-mass share is retained in the internal technical documentation.                                       |

### 4. Additional material compliance information

| Topic                   | Information                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REACH/SVHC              | The base and printing materials used have been assessed on the basis of current manufacturer and supplier information. According to the current documentation status, there are no confirmed findings for the supplied packaging articles that would trigger a communication obligation under Article 33 of REACH.                                                        |
| PFAS                    | The X-Press Boxes are not intended for food contact; the specific PFAS limits in Article 5(5) PPWR therefore do not apply. Independently of this, current information indicates no intentional use of PFAS in the unprinted base components, and the digital printing inks are documented as not intentionally manufactured with PFAS.                                    |
| Heavy metals            | Material information for the base components supports the PPWR combined limit of 100 mg/kg for lead, cadmium, mercury and hexavalent chromium. A TPCH/CONEG manufacturer statement is available for the digital inks.                                                                                                                                                     |
| Recycled content        | ClassicLine and foam inserts: no recycled content documented. OceanLine: 100% recycled plastic according to product/supplier information.                                                                                                                                                                                                                                 |
| Type of statement       | Supplier-neutral summary of internal material, printing and weight documentation. Print mass is assessed using the documented worst-case rule; trade names and sources of supply are not disclosed.                                                                                                                                                                       |
| Factory outer packaging | For the standard corrugated board, supplier documentation covers Article 16 PPWR, REACH/SVHC, the combined heavy-metal limit and no intentional PFAS use; an independent laboratory report is also available. For the PP tape, the supplier confirms the applicable PPWR limits for heavy metals and PFAS. No reliable recycled-content value is documented for the tape. |

## 5. Standard sizes and unit weights

| Article                       | Dimensions                 | Base / maximum reporting weight |
|-------------------------------|----------------------------|---------------------------------|
| Box 113                       | 94 x 64 x 14 mm            | 16.0 g / max. 16.4 g digital    |
| Box 111                       | 124 x 88 x 17 mm           | 26.0 g / max. 26.7 g digital    |
| Box 115                       | 148 x 110 x 27 mm          | 42.0 g / max. 43.0 g digital    |
| Box 116                       | 145 x 120 x 22 mm          | 46.0 g / max. 47.1 g digital    |
| OceanLine 111                 | 124 x 88 x 17 mm           | 31.0 g / max. 31.7 g digital    |
| OceanLine 115                 | 148 x 110 x 27 mm          | 42.0 g / max. 43.0 g digital    |
| Insert 111E                   | ca. 98 x 60 x 5/6 mm       | ca. 0,4-0,6 g                   |
| Insert 111ES                  | ca. 98 x 60 x 6 mm         | ca. 0,7-1,1 g                   |
| Insert 111ES/2                | ca. 98 x 60 x 6 mm         | ca. 1,0 g                       |
| Insert 113E                   | ca. 61 x 30 x 5 mm         | ca. 0,1-0,2 g                   |
| Insert 113ES                  | ca. 61/62 x 30/31 x 6 mm   | ca. 0,4 g                       |
| Insert 115E                   | ca. 125 x 84 x 6 mm        | ca. 0,9-1,0 g                   |
| Insert 115ES;<br>116ES        | ca. 124/125 x 84/88 x 6 mm | ca. 2,0-2,1 g                   |
| Insert<br>115ES/2;<br>116ES/2 | ca. 124/125 x 84/88 x 6 mm | ca. 1,3-2,0 g                   |

## 6. Notes on EPR responsibility

EPR registration and quantity reporting must be assessed and fulfilled by the party placing the packaging or packed product on the relevant national market. This data sheet does not allocate an EPR role and does not replace a country-specific legal assessment.

## 7. Data basis

| Field                | Information                                                                                                                                                                             |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Weights              | Base weights are documented internally. Printed variants use the maximum reporting weights calculated under the internal worst-case rule and rounded up to 0.1 g.                       |
| Material information | Supplier-neutral summary of internally available material and manufacturing information, including the supplier documentation for the factory outer packaging dated May/July 2026.      |
| Recycling note       | Actual recovery depends on the relevant regional system.                                                                                                                                |
| Printing             | Internal process assignment, manufacturer documentation and a documented full-area worst-case calculation; trade names and sources of supply are not part of this customer information. |

## Annex 1 - Articles covered

The following list defines the article scope of this EPR Packaging Information Sheet.

| Article  | Size / reference             | Weight        | Short description                                                                  |
|----------|------------------------------|---------------|------------------------------------------------------------------------------------|
| 111FW-MB | 111                          | 26.7 g        | ClassicLine; X-Press Box wave 111; 124 x 88 x 17 mm; print Faisst; metallic blue   |
| 111FW-MS | 111                          | 26.7 g        | ClassicLine; X-Press Box wave 111; 124 x 88 x 17 mm; print Faisst; metallic silver |
| 111FW-W  | 111                          | 26.7 g        | ClassicLine; X-Press Box wave 111; 124 x 88 x 17 mm; print Faisst; white           |
| 111FW-S  | 111                          | 26.7 g        | ClassicLine; X-Press Box wave 111; 124 x 88 x 17 mm; print Faisst; black           |
| 113FW-MB | 113                          | 16.4 g        | ClassicLine; X-Press Box wave 113; 94 x 64 x 14 mm; print Faisst; metallic blue    |
| 113FW-MS | 113                          | 16.4 g        | ClassicLine; X-Press Box wave 113; 94 x 64 x 14 mm; print Faisst; metallic silver  |
| 113FW-S  | 113                          | 16.4 g        | ClassicLine; X-Press Box wave 113; 94 x 64 x 14 mm; print Faisst; black            |
| 113FW-W  | 113                          | 16.4 g        | ClassicLine; X-Press Box wave 113; 94 x 64 x 14 mm; print Faisst; white            |
| 115FW-MB | 115                          | 43.0 g        | ClassicLine; X-Press Box wave 115; 148 x 110 x 27 mm; print Faisst; metallic blue  |
| 115FW-S  | 115                          | 43.0 g        | ClassicLine; X-Press Box wave 115; 148 x 110 x 27 mm; print Faisst; black          |
| 115FW-W  | 115                          | 43.0 g        | ClassicLine; X-Press Box wave 115; 148 x 110 x 27 mm; print Faisst; white          |
| 116FW    | 116                          | 47.1 g        | ClassicLine; X-Press Box wave 116; 145 x 120 x 22 mm; print Faisst; white          |
| 111FT    | 111                          | 31.7 g        | OceanLine; X-Press Box wave 111; 124 x 88 x 17 mm; print Faisst; Tide petrol       |
| 111E     | Suitable for X-Press Box 111 | ca. 0,4-0,6 g | Foam insert white; standard version; approx. 98 x 60 x 5/6 mm                      |
| 111ES    | Suitable for X-Press Box 111 | ca. 0,7-1,1 g | Foam insert black antistatic; soft version; approx. 98 x 60 x 6 mm                 |
| 111ES/2  | Suitable for X-Press Box 111 | ca. 1,0 g     | Foam insert black antistatic; rigid version; approx. 98 x 60 x 6 mm                |
| 113E     | Suitable for X-Press Box 113 | ca. 0,1-0,2 g | Foam insert white; standard version; approx. 61 x 30 x 5 mm                        |
| 113ES    | Suitable for X-Press Box 113 | ca. 0,4 g     | Foam insert black antistatic; soft version; approx. 61/62 x 30/31 x 6 mm           |

| Article             | Size / reference                       | Weight        | Short description                                                           |
|---------------------|----------------------------------------|---------------|-----------------------------------------------------------------------------|
| 115E                | Suitable for X-Press Box 115           | ca. 0,9-1,0 g | Foam insert white; standard version; approx. 125 x 84 x 6 mm                |
| 115ES;<br>116ES     | Suitable for X-Press Boxes 115 and 116 | ca. 2,0-2,1 g | Foam insert black antistatic; soft version; approx. 124/125 x 84/88 x 6 mm  |
| 115ES/2;<br>116ES/2 | Suitable for X-Press Boxes 115 and 116 | ca. 1,3-2,0 g | Foam insert black antistatic; rigid version; approx. 124/125 x 84/88 x 6 mm |